

## CURA® 4040 ICU & CCU Bed



## Features and benefits

The lowering of the split siderails can be activated using one hand and feature a smooth, rapid self-lowering mechanism allowing for quick access to patients

Stable support is provided during bed exit via an Ergonomically placed side egress grip handle

Intuitive bed controls require minimal in-service staff training and help minimise the risk of user's error

One Touch Side Egress positions the bed for safer and easier bed exit

AutoContour and SlideGuard minimise patient migration in bed, reducing abdominal compression during bed articulation

EasyChair and flat position function offers patients the ability to quickly reach a comfortable seated position Low height indicator warns the caregiver if the bed is not in the lowest position, contributing to a safer patient environment

5th castor facilitates easier bed transport in any direction

One Touch Shock positioning flattens the upper deck and places the bed into a Trendelenburg position, should patient complications occur

Intelligent night light enhances operational safety for both patients and caregivers

Alerts caregivers of potential break release available with controlling the pedals.

<sup>\*</sup> Option available in selected markets

Seed weight	Technical S	pecifications	4040 Pro	4040 Elite
250 kg	Safe Working Load	220 kg	-	-
Side		250 kg	•	•
Pictor   P	Bed weight		153 kg	153 kg
Protection class  IPX4 IPX4  IPX4 IPX4  IPX4 IPX4  Head section 0 to 65° 0 to 30° 0 to 412°	Height adjustment		38.9 to 84.8 cm	38.9 to 84.8 cm
Head section	SlideGuard sliding backrest		up to 12 cm	
Thigh section	Protection class		IPX4	IPX4
Foot section -22 to -3° -22 to -3° Trendelenburg/Reverse Trendelenburg -12 to +12° Width 90 cm 90 cm 200 cm Eleep deck Length 200 cm 200 cm  For a ABS  Steering castors  At head end optional optional optional optional optional optional deter pedals  At foot end optional op	Bed angles	Head section	0 to 65°	0 to 65°
Foot section   -22 to -3°   -22 to -3°     -22 to -3°         -22 to -3°		Thigh section	0 to 30°	0 to 30°
Width		Foot section	- 22 to -3°	- 22 to -3°
Side p deck   Length   200 cm   200 cm   200 cm		Trendelenburg/Reverse Trendelenburg	-12 to +12°	-12 to +12°
Length 200 cm 200 cm 200 cm Sleep deck surface PP or ABS  Siderail height 40 cm 40 cm 40 cm optional o	Sleep deck	Width	90 cm	90 cm
Siderall height   40 cm		Length	200 cm	200 cm
Tastors  150 mm single band ** optional	Sleep deck surface		PP or ABS	
Tastors  150 mm double band  At head end  At head end  At head end  At foot end  Optional	Siderail height		40 cm	40 cm
150 mm double band	Castors	150 mm single band **	optional	optional
At foot end optional		150 mm double band	optional	optional
At foot end optional	Steering castor	At head end	•	•
At foot end At foot and head ends ***  At foot and head ends ***  Optional  Pendant Integrated in siderails - Control on flexible arm ** Optional  Caregiver foot end pendant **  Bilateral high-low foot control Optional			optional	optional
At foot and head ends ** optional optio	5th castor		optional	optional
At foot and head ends **  optional  Pendant  Integrated in siderails  Controls  Control on flexible arm **  optional  Caregiver foot end pendant **  o o  Bilateral high-low foot control  optional  Mobile  Stationary  optional	Brake and steer pedals	At foot end	•	•
Pendant Pendant Integrated in siderails Controls Control on flexible arm ** Bilateral high-low foot control Obtional  Mobile Stationary Optional		At foot and head ends **	optional	optional
Pendant   Pend	Brake release alarm		opional	optional
Pendant Integrated in siderails Controls  Control on flexible arm **  Caregiver foot end pendant **  Bilateral high-low foot control  Mobile  Stationary  Optional	Bed Exit Alarm		optional	optional
Integrated in siderails  Controls  Control on flexible arm **  Caregiver foot end pendant **  Bilateral high-low foot control  Mobile  Stationary  Optional	Weighting Scale system		optional	optional
Controls  Control on flexible arm **  Caregiver foot end pendant **  Bilateral high-low foot control  Mobile  Stationary  Optional	Controls	Pendant	•	optional
Caregiver foot end pendant **  Caregiver foot end pendant **  Bilateral high-low foot control  Mobile  Stationary  Optional		Integrated in siderails		•
Bilateral high-low foot control optional optional  Head section  Stationary optional optional optional  Low height indicator ** optional  EasyChair and flat position function optional optional  Intelligent night light optional optional  One Touch Shock positioning **  Bilateral high-low foot control optional optional  One Touch Shock positioning **  Intelligent night light optional optional		Control on flexible arm **	optional	•
Head section    Mobile		Caregiver foot end pendant **	0	•
Stationary optional optional  Low height indicator ** optional  EasyChair and flat position function optional  Intelligent night light optional  One Touch Shock positioning **  One Touch Shock positioning **		Bilateral high-low foot control	optional	optional
Stationary optional optional  ow height indicator **  optional  easyChair and flat position function  ntelligent night light  one Touch Shock positioning **  optional  optional  optional  optional	Head section	Mobile	•	•
EasyChair and flat position function  optional  optional  optional  optional  optional  optional  optional		Stationary	optional	optional
ntelligent night light optional optional  One Touch Shock positioning **	Low height indicator **		optional	•
One Touch Shock positioning **	EasyChair and flat position function		optional	•
	Intelligent nigh	t light	optional	optional
Bed extension with linen holder optional optional	One Touch Sho	ock positioning **	•	•
	Bed extension with linen holder		optional	optional

<sup>\*\*</sup> Only available in combination with selected options.



Optional Fifth Castor



Optional 125 mm double band castors\*\*



Care grip handles and integrated controls



Optional Weighting Scale System, bed exist alarm.



3-Mode Bed ExitAlarm



Optional bilateral high-low foot control with automatic lock-out and 5th steering castor

## Additional standard features

- Bilateral Mechanical CPR lever
- 6 attachment points for patient restraints
- · Lifting/IV poleholders
- · Bilateral accessory holder
- · Electric cordholder
- · Adjustable mattress retainers

- Battery
- Removable endboards
- Line-of-site backrest and Trendelenburg indicators
- · One-Touch Side Egress positioning
- · Central brake
- · Service required indicator



The CURA 4040 bed is intended for use in intensive, acute and ambulatory care settings for patients with a weight  $\geq$  40 kg, height  $\geq$  146 cm and BMI  $\geq$  17.

Class I

Manufacturer: PROMA MEDIKAL LTD STI , Baspinar OSB 5. Bolge 83548 Gaziantep/Turkey

This medical device is a regulated health product which, pursuant to such regulation bears a CE mark. Schröder recommends that you carefully read the detailed instructions for safe and proper use included in the documents accompanying the medical devices. The personnel of healthcare establishments are responsible for the proper use and maintenance of these medical devices.

schröder reserves the right to make changes without notice in design, specifications and models. The only warranty schröder makes is the express written warranty extended on the sale or rental of its products.

2020 schröder health projects ALL RIGHTS RESERVED.

Not all products/options are available in all countries. For further information about our products and services, please contact your local Schröder representative or visit our webpage:

## www.schroderhealth.de

