

Ultimate Comfort Smart

P N E U M A T I C



000

- spittoon position - last position
- light off / light on
- instrument water on/off

The Ultimate Comfort Smart is outstandingly ergonomic and efficient for the daily use.



S M A R T Q U A L I T Y

Comfort and Quality

The patient chair is electric driven.

- An ergonomic chair height guarantees easy access.
- The water unit has a self-contained clean water system. The
- multifunctional foot pedal control system is easy to use and supports an excellent workflow.
- The unit has a memory-system:



S M A R T C O M F O R T

Patient chair

- Electric chair movement for fast and quiet movements
- Ergonomic design for comfortable seating also during long treatments
- · Broad space for dentist's legs
- · High-quality leather upholstery
- 4 programmable chair positions, plus last position and exit position
- Auto return function :
 If the safety switch is activated, the chair automatically moves up for a few cms
- · Safety switches
- · Fixed left and movable right armrest
- · Double-articulated headrest



000



Dentist elements

Easy handling and efficient treatments: According to the personal preference, two different versions are available, which allow an easy adjustment of the instruments. The controls for the instruments are pneumatically driven.



"S" Version with swinging hoses

- · Traytable available
- · Pneumatic arm brake mechanism
- Up to 5 instruments
- · 4 programmable patient chair positions, plus last position and exit position
- Optional lower tray

Control panel

- · Touchpanels with x-ray viewer
- · 4 programmable patient chair positions, plus last position and exit position
- Removable silicon pad for easy cleaning and disinfection

(S-Version)

ວິດ





Operating light

Illumination where it is needed: The Ritter LED operating light

- · Intensity of light 8.000 30.000 lx
- · Sensor switch rear side- by hand movement
- · Colour temperature 5.000 K
- · Adjustable temperature colour
- · Adjustable light intensity
- · Low heat emission
- · Precise illumination of the working field

"H" Version with hanging hoses

- · Traytable available
- Pneumatic arm brake mechanism
- Up to 5 instruments
- · 4 programmable patient chair positions, plus last position and exit position
- Optional tray on top or lower tray



SMART ILLUMINATION



SMART ASSISTANCE





Venturi Suction System

External Central Suction External suction with place selection valve. A suction machine is required for operation.




Intraoral camera with monitor

Assistant element

Flexibility for maximum efficiency

- · Integrated touch panel
- Up to 4 instruments
- · Large and small suction hose
- · Assistant syringe
- Curing light





Foot controller

Modern design for chair movement and instruments:

- Large foot lever for easy repositioning
- Manual control of chair movements
- Up/down of backrest and chair Program control of chair movements:
- Spitting position/last treatment position
- Free programmable chair positions
- Entry / Exit position

Control of instruments:

- Speed/power control for activated instrument
- Water on/off mode for instrument

Buttons:

- Spray water at instrument
- Chip blower function







Optional lever type




Standard pedal type

Stool

- Backrest with fixed position or dynamic movement
- · Ergonomic and comfortable seating
- · Symmetrical backrest
- · Gas lift cylinder
- · Chrome legs
- $\cdot~$ Five dual castors for stability
- Colour-matching upholstery available in multiple colours
- Available with or without footring

Upholstery colours

For stool and patient chair. Ask your dental dealer for the Ultimate Comfort Smart pattern folder.



Features and options Ultimate Comfort Smart P

•	О	_
STANDARD	OPTION	NOT AVAILABLE

Patient chair

Storage of positions	•
Safety switch	•
Double articulated headrest mechanically	•
Fixed left and movable right armrest	•
Seamless upholstery	•
Multifunctional control	

Dentist element

3 Functional syringe	•
3 outlets for turbine or air motor without light	
Fibre optic outlets	Ο
Brushless mirco motor with LED	Ο
Scaler S or E LED	Ο
Curing light LED	
Small x-ray film viewer	
Holder for 2 standard trays	
Traytable on top	Ο
Lower tray	Ο



Shown samples may appear different in structure and colour due to the printing process.



Assistant element Operating panel • Movable assistant element 3 Functional syringe Large suction hose Small suction hose Ο Curing light LED Water unit Movable ceramic cuspidor ABS Aqua Bottle System Heating for cup filler Connection for external suction Ο (with place selection valve) Venturi Suction System water/air or air/air **Operating light** Ritter Standard LED Ritter CoolLite LED Ο Ritter SunLite LED Ο Stools Mobilo Flex 60 Mobilo Flex 60 with footring Ο Multi-media Intraoral camera Ο Monitor Ο





Ritter Concept GmbH Freiburger Str. 45 88400 Biberach Germany

Fon 0049 7351 / 52 925-10 Fax 0049 7351 / 52 925-11

sales@ritterconcept.com www.ritterconcept.com Your Ritter-Partner: