

SOMNOscreen[™] plus Product catalogue

valid from 1st November 2014





1 SOMNOscreen[™] plus Screening systems

SSP500



SOMNOscreen[™] plus RC easy

Respiratory Screener

Max. Recording time: 58 h

14 channels:

Flow + Snoring (Back pressure), Thoracic + Abdominal Breathing effort,

SpO2, Pulse rate, Plethysmogram,

Body position, Movement, CPAP Pressure/Flow/Snoring,

Ambient light, Patient marker

Items included:

Basic device SOMNOscreen $^{\text{TM}}$ plus,

CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Belt set Abdomen/Thorax/Shoulder size L + Effort sensor, SpO2 Finger clip soft silicone (Adult), 2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB),

User manual, Carrying bag, Software DOMINO (2 licenses)

SSP100



SOMNOscreen[™] plus RC Cardio Respiratory Screener

Max. Recording time: 58 h

20 channels:

Flow + Snoring (Back pressure), Snoring, Thoracic + Abdominal Breathing effort, SpO2, Pulse rate, Plethysmogram,

Body position, Movement, CPAP Pressure/Flow/Snoring, ECG (Syst./Diast. BP),

PLM left, PLM right, Ambient light, Patient marker

Items included:

Basic device SOMNOscreen[™] plus,

CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Microphone, 2 PLM electrodes, ECG electrode, 1 Pack Disposable electrodes (30 pcs.), Belt set Abdomen/Thorax/Shoulder size L + Effort sensor, SpO2 Finger clip soft silicone (Adult),

2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB), User manual, Carrying bag, Software DOMINO (2 licenses)

PLEASE NOTE: All systems are also available in pediatric resp. neonatal configuration!

2 SOMNOscreen[™] plus Polysomnography systems

SSP201



SOMNOscreen[™] plus PSG+ R&K

Polysomnography (ambulatory)

Max. Recording time: 32 h

20 channels:

Flow + Snoring (Back pressure), Snoring, Thoracic + Abdominal Breathing effort, SpO2, Pulse rate, Plethysmogram,

Body position, Movement, CPAP Pressure/Flow/Snoring, ECG (Syst./Diast. BP), PLM left, PLM right, Ambient light, Patient marker 14 AC channels:

10 EEG/EOG + REF + continuous Impedance, 2 EMG, 1 ECG

Items included:

Basic device SOMNOscreen[™] plus,

CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Microphone, 2 PLM electrodes, Belt set Abdomen/Thorax/Shoulder size L + Effort sensor, SpO2 Finger clip soft silicone (Adult), 2 Li-lon Accu + Battery charger, 1 GB Flash card + Card reader (USB), PSG Head box, 15 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm), 2 Connecting cables for ECG, 1 Pack Disposable electrodes (30 pcs.), EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel,

User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter

SSP201A



SOMNOscreen[™] plus PSG+ AASM

Polysomnography (ambulatory) Max. Recording time: 32 h

Max. Recording time: 32

22 channels:

Flow + Snoring (Back pressure), Flow, Snoring, Breathing effort, 2 RIP Effort,

SpO2, Pulse rate, Plethysmogram,

Body position, Movement, CPAP Pressure/Flow/Snoring, ECG (Syst./Diast. BP),

PLM left, PLM right, Ambient light, Patient marker

14 AC channels:

10 EEG/EOG + REF + continuous Impedance, 2 EMG, 1 ECG

Items included:

Basic device SOMNOscreenTM plus,

CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Thermistor + Retaining clip, Microphone, 2 PLM electrodes, Belt set Thorax/Shoulder, 2 Inductive effort belts Abdomen/Thorax size L + MUX adapter, SpO2 Finger clip soft silicone (Adult),

2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB), PSG Head box, 15 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm), 2 Connecting cables for ECG, 1 Pack Disposable electrodes (30 pcs.), EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel, User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter



2 SOMNOscreenTM plus Polysomnography systems

SBT201



SOMNOscreen[™] plus PSG+ BT R&K including signal control function

Polysomnography (ambulatory)

Max. Recording time: 32 h

20 channels:

Flow + Snoring (Nasal pressure), Snoring, Thoracic + Abdominal Breathing effort, SpO2, Pulse rate, Plethysmogram,

Body position, Movement, CPAP Pressure/Flow/Snoring, ECG (optional Syst./Diast. BP), PLM left, PLM right, Ambient light, Patient marker 14 AC channels:

10 EEG/EOG + REF + continuous Impedance, 2 EMG, 1 ECG

Items included:

Basic device SOMNOscreen plus with integrated transmitter (BT), CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Microphone, 2 PLM electrodes, Belt set Abdomen/Thorax/Shoulder size L + Effort sensor, SpO2 Finger clip soft silicone (Adult),

2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB), PSG Head box, 15 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm), 2 Connecting cables for ECG, 1 Pack Disposable electrodes (30 pcs.),

EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel, User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter

+ + + Tablet with corresponding App needs to be ordered at SOMNOmedics as well + + +

SBT201A




SOMNOscreen[™] plus PSG+ BT AASM including signal control function

Polysomnography (amubulatory)

Max. Recording time: 14 h

22 channels:



10 EEG/EOG + REF + continuous Impedance, 2 EMG, 1 ECG

Items included:

Basic device SOMNOscreen plus with integrated transmitter (BT), CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Thermistor + Retaining clip, Microphone, 2 PLM electrodes, Belt set Thorax/Shoulder, 2 Inductive effort belts Abdomen/Thorax size L + MUX adapter, SpO2 Finger clip soft silicone (Adult), 2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB), PSG Head box, 15 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm), 2 Connecting cables for ECG, 1 Pack

Disposable electrodes (30 pcs.), EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel,

User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter

+ + + Tablet with corresponding App needs to be ordered at SOMNOmedics as well + + +

SBT202



SOMNOscreen[™] plus PSG+ Tele (BT) R&K

Polysomnography (stationary)

Max. Recording time: 14 h

20 channels:

Flow + Snoring (Nasal pressure), Snoring, Thoracic + Abdominal Breathing effort,

SpO2, Pulse rate, Plethysmogram, Body position, Movement, CPAP Pressure/Flow/Snoring, ECG (Syst./Diast. BP),

PLM left, PLM right, Ambient light, Patient marker

14 AC channels:

10 EEG/EOG + REF + continuous Impedance, 2 EMG, 1 ECG

Items included:

Basic device SOMNOscreen plus, CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Microphone,

2 PLM electrodes, Belt set Abdomen/Thorax /Shoulder + Effort sensor,

SpO2 Finger clip soft silicone (Adult), 2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB),

PSG Head box, 15 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm), 2 Connecting cables for ECG, 1 Pack Disposable electrodes (30 pcs.), EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel,

Radio transmission module (BT) consisting of integrated transmitter (in the SOMNOscreen plus) and external receiver,

User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter



2 SOMNOscreenTM plus Polysomnography systems

SBT202A



SOMNOscreen[™] plus PSG+ Tele (BT) AASM

Polysomnography (stationary)

Max. Recording time: 14 h

22 channels:

Flow + Snoring (Nasal pressure), Flow, Snoring, Breathing effort, 2 RIP Effort, SpO2, Pulse rate, Plethysmogram,

Body position, Movement, CPAP Pressure/Flow/Snoring, ECG (Syst./Diast. BP), PLM left, PLM right, Ambient light, Patient marker

14 AC channels: 10 EEG/EOG + REF + continuous Impedance, 2 EMG, 1 ECG

Items included:

Basic device SOMNOscreen plus,

CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Thermistor + Retaining clip, Microphone, 2 PLM electrodes, Belt set Thorax/Shoulder, 2 Inductive effort belts Abdomen/Thorax size L + MUX adapter,

SpO2 Finger clip soft silicone (Adult), 2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB),

PSG Head box, 15 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm), 2 Connecting cables for ECG, 1 Pack

Disposable electrodes (30 pcs.), EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel,

Radio transmission module (BT) consisting of integrated transmitter (in the SOMNOscreen plus) and external receiver,

User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter

SBTV202



SOMNOscreen[™] plus PSG+ Tele (BT) and Camera COMPACT R&K

Polysomnography (stationary) with digital IR-Videometry

Max. Recording time: 14 h



20 channels:

Flow + Snoring (Nasal pressure), Snoring, Thoracic + Abdominal Breathing effort, SpO2, Pulse rate, Plethysmogram, Body position, Movement, CPAP Pressure/Flow/Snoring, ECG (Syst./Diast. BP), PLM left, PLM right, Ambient light, Patient marker

10 EEG/EOG + REF + continuous Impedance, 2 EMG, 1 ECG

Items included:

Basic device SOMNOscreen plus, CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Microphone.

2 PLM electrodes, Belt set Abdomen/Thorax /Shoulder + Effort sensor, SpO2 Finger clip soft silicone (Adult),

2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB), PSG Head box, 15 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm), 2 Connecting cables for ECG, 1 Pack Disposable electrodes (30 pcs.), EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel, Radio transmission module (BT) consisting of integrated transmitter (in the SOMNOscreen plus) and integrated receiver (in the camera), User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter

LAN Infrared Video Camera COMPACT* with integrated radio transmission module (BT)

H.264 Video Stream, Integrated IR illumination, Microphone, Speaker, Resolution 800x600 pixels, Wall or ceiling mount, Power supply, Radio transmission module (BT) consisting of integrated radio transmission receiver (in camera) and integrated radio transmitter (in SOMNOscreen plus), Software for synchronized recording, editing and archiving

*Intercom possible with option KOMP46

SBTV202A



SOMNOscreen[™] plus PSG+ Tele (BT) and Camera COMPACT AASM

Polysomnography (stationary) with digital IR-Videometry

Max. Recording time: 14 h



22 channels:

Flow + Snoring (Nasal pressure), Flow, Snoring, Breathing effort, 2 RIP Effort, SpO2, Pulse rate, Plethysmogram, Body position, Movement, CPAP Pressure/Flow/Snoring, ECG (optional Syst./Diast. BP), PLM left, PLM right, Ambient light, Patient marker

14 AC channels:

10 EEG/EOG + REF + continuous Impedance, 2 EMG, 1 ECG

Items included:

Basic device SOMNOscreen plus, CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Thermistor + Retaining clip, Microphone, 2 PLM electrodes, Belt set Thorax/Shoulder, 2 Inductive effort belts Abdomen/Thorax size L + MUX adapter,

Sp02 Finger clip soft silicone (Adult), 2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB), PSG Head box, 15 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm), 2 Connecting cables for ECG, 1 Pack Disposable electrodes (30 pcs.), EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel, Radio transmission module (BT) consisting of integrated transmitter (in the SOMNOscreen plus) and integrated receiver (in the camera), User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter

LAN Infrared Video Camera COMPACT*

with integrated radio transmission module (BT)

H.264 Video Stream, Integrated IR illumination, Microphone, Speaker, Resolution 800x600 pixels, Wall or ceiling mount, Power supply, Radio transmission module (BT) consisting of integrated radio transmission receiver (in camera) and integrated radio transmitter (in SOMNOscreen plus), Software for synchronized recording, editing and archiving

*Intercom possible with option KOMP46

+++All systems are also available with LAN telemetry++++Prices on request+++

All systems are also available in pediatric resp. neonatal configuration!



3 SOMNOscreen[™] plus Neurologic systems

SSP718PU



SOMNOscreen[™] plus EEG 32 Online Out (cable - LAN)

Neurologic Diagnostics

Mobile long term + Routine EEG

Max. Recording time: 30 h

5 channels:

Breathing Effort, Body Position, Movement, Ambient light, Patient marker

33 AC channels:

25 x EEG/EOG + REF + continuous Impedance, 6 x EMG, 1 x ECG

Items included:

Basic device SOMNOscreen plus, Belt set Thorax/Shoulder size L, G30 2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB).

EEG 32 Head box, 40 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm),

EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel,

Bidirectional digital Optocoupler for real-time signal precheck,

User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter

SBT719P



SOMNOscreen[™] plus EEG 32 Tele (BT)

Neurologic Diagnostics

Mobile long term + Routine EEG, Epilepsy Monitoring

Max. Recording time: 14 h

5 channels:

Breathing Effort, Body Position, Movement, Ambient light, Patient marker

33 AC channels:

25 x EEG/EOG + REF + continuous Impedance,

6 x EMG, 1 x ECG

Items included:

Basic device SOMNOscreen plus, Belt set Thorax/Shoulder size L, 2 Li-lon Accu + Battery charger, 1 GB Flash card + Card reader (USB), EEG 32 Head box, 40 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm), EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel, Radio transmission module (BT) consisting of integrated transmitter

EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel, Radio transmission module (BT) consisting of integrated transmitter (in the SOMNOscreen plus) and external receiver, User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter

SBTV719P



SOMNOscreen[™] plus EEG 32 Tele (BT) and Camera COMPACT

Neurologic Diagnostics

Mobile long term + Routine EEG, Epilepsy Monitoring with digital IR-Videometry

Max. Recording time: 14 h



<u>5 channels:</u>

Breathing Effort, Body Position, Movement, Ambient light, Patient marker

33 AC channels: 25 x EEG/EOG + REF + continuous Impedance, 6 x EMG, 1 x ECG



tems included:

Basic device SOMNOscreen plus, Belt set Thorax/Shoulder size L, 2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB), EEG 32 Head box, 40 GRASS gold plated EEG cup electrodes (10 mm with hole, Cable length: 76 cm), EC2 Electrode cream (self adhesive), NUPREP Abrasive skin prepping gel, Radio transmission module (BT) consisting of integrated transmitter (in the SOMNOscreen plus) and integrated receiver (in the camera), User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter

LAN Infrared Video Camera COMPACT*

with integrated radio transmission module (BT), H.264 Video Stream

Integrated IR illumination, Microphone, Speaker, Resolution 800x600 pixels, Wall or ceiling mount, Power supply, Radio transmission module (BT) consisting of integrated radio transmission receiver (in camera) and integrated radio transmitter (in SOMNOscreen plus), Software for synchronized recording, editing and archiving

*Intercom possible with option KOMP46

SBTV750



SOMNOscreen[™] plus stationary EEG 32 Tele (BT) and Camera COMPACT

Neurologic Diagnostics

Long term + Routine EEG, Epilepsy Monitoring

with digital IR-Videometry



2 channels:

Ambient light, Patient marker

33 AC channels:

25 x EEG/EOG + REF + continuous Impedance, 6 x EMG, 1 x ECG

Items included:

Basic device SOMNOscreen plus, 2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB),

stationary EEG 32 Head box, Radio transmission module (BT) consisting of integrated transmitter (in the SOMNOscreen plus) and integrated receiver (in the camera), User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter

Requires mount OPT211 or OPT211X.

LAN Infrared Video Camera COMPACT*

with integrated radio transmission module (BT) H.264 Video stream

Integrated IR illumination, Microphone, Speaker, Resolution 800x600 pixels, Wall or ceiling mount, Power supply,

Radio transmission module (BT) consisting of integrated radio transmission receiver (in camera) and integrated radio transmitter (in

SOMNOscreen plus), Software for synchronized recording, editing and archiving *Intercom possible with option KOMP46

Rev. 0



3 SOMNOscreen[™] plus Neurologic systems SBTV751 Advanced package: SOMNOscreen[™] plus stationary EEG 32 Tele (BT) with Camera COMPACT, Photic Stimulator, PC and monitor Neurologic Diagnostics Long term + Routine EEG, Epilepsy Monitoring with digital IR-Videometry 2 channels: Ambient light, Patient marker 33 AC channels: 25 x EEG/EOG + REF + continuous Impedance, 6 x EMG, 1 x ECG Basic device SOMNOscreen plus, 2 Li-Ion Accu + Battery charger, 1 GB Flash card + Card reader (USB), stationary EEG 32 Head box, Radio transmission module (BT) consisting of integrated transmitter (in the SOMNOscreen plus) and integrated receiver (in the camera), User manual, Carrying bag, Software DOMINO (2 licenses) incl. ECG Wavelet filter Requires mount OPT211 or OPT211X. LAN Infrared Video Camera COMPACT* with integrated radio transmission module (BT) H.264 Video stream, Integrated IR illumination, Microphone, Speaker, Resolution 800x600 pixels, Wall or ceiling mount, Power supply, Radio transmission module (BT) consisting of integrated radio transmission receiver (in camera) and integrated radio transmitter (in SOMNOscreen plus), Software for synchronized recording, editing and archiving Intercom possible with option KOMP46 Photic stimulator for extended neurological diagnostics, incl. TTL input / serial connection, incl. synchronisation + piloting software Tripod for Photic stimulator incl carrying bag Recording and analysis station, Intel Core i5 3.10 GHz, 2x2 GB of memory, 500 GB hard drive (7200 rev / min), Graphics card: Ivy Bridge (1920x1200), Card Reader 19-in-1, 8 x Slimline DVD / - RW, Gigabit LAN, keyboard, mouse, Operating System Microsoft Windows 7 Professional 64 bit OEM, Microsoft Office 2013 (Word, Excel, PowerPoint, Outlook) OEM, 3-year Dell on-site service 23" DELL Monitor UltraSharp TFT Flat Screen, Format 16:9, Resolution 1920x1080 incl. Soundbar OPT211 Mobile stand for stationary headbox OPT211X Standard Mount for stationary 32 ch. Headbox SSP705 PSG Upgrade Set - R&K PSG Upgrade for SOMNOscreen[™] plus EEG 32 15 additional channels: Flow + Snoring (Nasal pressure), Snoring, Thoracic + Abdominal Breathing effort, SpO2, Pulse rate, Plethysmogram, optional Syst./Diast. BP, CPAP Pressure/Flow/Snoring, PLM left, PLM right CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Microphone, 2 PLM electrodes, 1 Pack Disposable electrodes (30 pcs.), Belt Abdomen size L + Effort sensor, SpO2 Finger clip soft silicone (Adult) SSP705A PSG Upgrade Set - AASM PSG Upgrade for SOMNOscreen[™] plus EEG 32 17 additional channels: Flow + Snoring (Nasal pressure), Flow, Snoring, Breathing effort, 2 RIP Effort, SpO2, Pulse rate, Plethysmogram, optional Syst./Diast. BP, CPAP Pressure/Flow/Snoring, PLM left, PLM right Items included: CPAP Pressure sensor + 1 Pack Nasal cannulas (10 pcs.), CPAP adapter, Thermistor + Retaining clip, Microphone, 2 PLM electrodes, 1 Pack Disposable electrodes (30 pcs.), 2 Inductive effort belts Abdomen/Thorax size L + MUX adapter, SpO2 Finger clip soft silicone (Adult) SSP136 Digital 12 channel ECG box incl. 10 Snap fastener electrode cables, ECG adhesive electrodes (50 pcs./Pack) SSP137 Digital 12 channel ECG box incl. 10 Snap fastener electrode cables, ECG adhesive electrodes (50 pcs./Pack). PBI Holter ECG Software license incl. USB flash drive, user manual and activation in the DOMINO software 🖢 PBI SBT069 Radio transmission module (BT) for SOMNOscreen[™] plus for real-time data transmission Consisting of integrated radio transmitter (in SOMNOscreen plus) and external receiver SSC057 External accu for SOMNOscreen[™] plus

Extends the recording time: - 72h offline recordings

- 24h online recordings (with bluetooth)
 Especially interesting for neurological applications



4 Video Eq	uipment	
VID90A		LAN Infrared Video Camera COMPACT* H.264 Video Stream Integrated IR illumination, Microphone, Speaker, Resolution 800x600 pixels, Wall or ceiling mount, Power supply, Software for synchronized recording, editing and archiving *Intercom possible with option KOMP46
VID95A		Video Camera HD* High Resolution Integrated IR illumination, Microphone, Line out for Speakers, HD resolution 2592x1944 (4:3) or 1920x1080 (16:9), H.264 Video stream, Wall or ceiling mount, Power supply, Software for synchronized recording, editing and archiving *Intercom possible with option KOMP46
VID34A		LAN Infrared Video Camera HIGH END* MPEG4 Integrated IR illumination, Autofocus, Microphone, Line out for Speakers, Automatic day/night mode, Resolution 768x576 pixels, optical Zoom (18 times), Remote Control via any PC in the network, Ceiling mount, Power supply, Software for synchronized recording, editing and archiving *Intercom possible with option KOMP46
BTV101		LAN Infrared Video Camera COMPACT* with integrated radio transmission module (BT) H.264 Video Stream Integrated IR illumination, Microphone, Speaker, Resolution 800x600 pixels, Wall or ceiling mount, Power supply, Radio transmission module (BT) consisting of integrated radio transmission receiver (in camera) and integrated radio transmitter (in SOMNOscreen plus), Software for synchronized recording, editing and archiving *Intercom possible with option KOMP46
VID96F		HD resolution 2592x1944 (4:3) or 1920x1080 (16:9) H.264 Video stream, Wall or ceiling mount, Power supply, Radio transmission module consisting of integrated radio transmission receiver (in camera) and external radio transmitter, Software for synchronized recording, editing and archiving *Intercom possible with option KOMP46
VID98A	. 0	LAN Infrared Video Camera Home Sleep H.264 Video Stream Integrated IR illumination, Microphone, Resolution 800x600 pixels, Power supply, USB stick 8 GB for data storage, tripod, Software for synchronized recording and archiving
VID98S		Cable for the synchronisation of SOMNOscreen plus and LAN Infrared Video Camera Home Sleep
KOMP46	(Intercom System for HIGH END/HD Cameras (VID34A, VID65A) incl. Speaker and Microphone for COMPACT Cameras (VID56A, VID57A) incl. Microphone
VID50		Stand for Video Camera COMPACT Incl. Mounting plate and Screws
OPT184	J.	Mobile stand for Video Camera COMPACT, HIGH END, HD
OPT207	Å	Tripod for standard camera, Camera home sleep and HD cameras incl carrying bag



5 PC and Network Components			
KOMP34W7D		PC Recording and analysis station Intel Core i5 3.2 GHz, 2x4 GB of memory, 1000 GB hard drive (7200 rev / min), Graphics Card: Intel HD Grafik4600 (1920x1200) 19 in 1 media card reader, 16 x DVD / - RW, Gigabit LAN, keyboard, mouse, Operating System Microsoft Windows 7 Pro 64 bit OEM, Microsoft Office 2013 (Word, Excel, PowerPoint, Outlook) OEM, 3 years on-site service by Dell	
КОМР38В	À	24" DELL Monitor UltraSharp TFT Flat Screen Format 16:10 Resolution 1920x1200 incl. Soundbar	
KOMP23W7I		Notebook Recording and analysis station 15.6 "TFT (1920x1080), Intel Core i5 (2.6 GHz), Graphics: Ivy Bridge (Intel HD 4600) 1 x 4 GB of memory, 500 GB SSD hybrid hard drive (5400 rev / min, 8GB Flash) DVD /- RW drive, Bluetooth, Wi-Fi (802.11n), Operating System Microsoft Windows 7 Pro 64-bit, Microsoft Office 2013 (Word, Excel, PowerPoint, Outlook) 3 years on-site service by Dell	
KOMP23W7J	D SOMNO	Notebook Recording and analysis station 14 "LCD Display (1920x1080), Intel Core i5 (1.6 GHz), Graphics: Ivy Bridge (Intel HD 4400) 2 x 4 GB of memory, 500 GB Hard Drive, Bluetooth, Wi-Fi (802.11n), Operating System Microsoft Windows 7 Pro 64-bit, Microsoft Office 2013 (Word, Excel, PowerPoint, Outlook) 3 years on-site service by Dell	
KOMP26P		23 "DELL UltraSharp monitor TFT Flat Panel Monitor 16:9 resolution 1920x1080 including Soundbar	
KOMP111		Option signal check via smartphone including SOMNOmedics Android application Signal check via e-mail for ambulatory polygraphy and polysomnography +++ This option requires a valid smartphone contract +++	
KOMP112B	50 Page 151	Option signal check via Tablet PC (Bluetooth) including SOMNOmedics Android Application 1,2 GHz Quad-Core-Prozessor, 1,5 GB memory, 16 GB internal memory, expandable via microSD (64GB), 10,1 nches (25.7 cm) multi-touch display (1280x800), WLAN, LTE, Bluetooth 4.0, Android 4.4, sim card slot 2 years warranty (to ensure the functionality of the live data transmission, a SOMNOscreen BT Series or a SOMNOtouch is needed)	
KOMP29		Gigabit Switch 8 Port	
KOMP28		Gigabit Switch 16 Port	
KOMP41		Gigabit Switch 24 Port	
KOMP40		Wireless Access Point Router – to set up a WLAN network	
OPT182		Equipment cart for PC Telescope bar for camera, PC holder, VESA mount for monitor, Extendable working surface for keyboard, Extendable mouse pad, Stageless height adjustment, Additional printer tray and storage basket, Multiple socket outlet (3-fold), 4 swivel castors, Ultimate load: 60 kg	
OPT183		Equipment cart for Notebook Telescope bar for camera, Tray for Notebook Stageless height adjustment, Additional tray, Multiple socket outlet (3-fold), 4 flexible castors	



	_	
6 Software L	icences	
SSC092		DOMINO Additional software license
SSC087		Licence package DOMINO
		up to 25 licences
SSC088A	II SOMNO	Network licensing
SSC089		DOMINO Code is saved centrally in one DOMINO installation and can be used from an unlimited numbers of working stations DOMINO Software option: Blood Pressure
SSC091		DOMINO Software option: Elood Pressure DOMINO Software option: : extended Data Base for measurement results
SSC098	- 0	DOMINO Software option: Lextended bata base for measurement results
		for the connection of multiple SOMNOscreen [™] plus systems to one Recording station
SW001	_	DOMINO Software option: Biofeedback
SW002	_	DOMINO Software option: Neurofeedback
SSC093	01.RECORDING	SOMNOscreen [™] plus Research firmware
		Sampling rate up to 4 kHz
SOFTEKG	♠ PBI	PBI Holter ECG Software license
	Euglist's Hally, arm	incl. USB flash drive, user manual and activation in the DOMINO software
7 Sensors		
CENCOOT		Nasal/Oral Flow Sensor Thermistor
SEN600T	10 2	Nasal/Oral Flow Sensor Thermistor
SEN600S	60	SLP Thermistor LOW COST
	V	Flowsensor Thermistor white
SEN600SH		SLP Thermistor with hanger LOW COST
	*	Flowsensor Thermistor white with hanger for Nasal Cannula
SEN600Z		Retaining clip
		for simultaneous application of Thermistor and Nasal cannula
SEN602		Microphone for Snoring detection
		Cable length 50 cm
SEN603		Microphone for Snoring detection
		Cable length 70 cm
SEN606		Microphone for high sampling rate (Snoring frequency analysis)
	J= \m)	Cable length 120 cm, incl. adapter
	モンオー	Requires SSC093 Research firmware!
	1 7 1	
SEN620		Activity Sensor for Sleep/Wake detection
		Sensitive in 3 directions
SEN621		Movement Sensor for PLM
		Sensitive in 3 directions
SEN624		Active PLM Electrode (EMG)
OLINO24	-0	2-point electrode, Cable length 150 cm
SEN627		1-channel ECG Electrode
		Green plug for AUX input, Cable length 60 cm
SEN632		Pressure Sensor for Pneumotachograph (+/- 2.4 mbar)
		Orange plug
SEN633		CPAP Pressure Sensor (+/- 36 mbar)
		New Design, Black plug Colour: Turquoise
SEN635		CPAP Pressure Sensor (0-24 mbar)
SEINOSS		Black plug
SEN637		Pressure Sensor for Pneumatic Effort Belts
SEN037		Green plug
CENESS		1 0
SEN638		Pressure Sensor for Pneumatic Effort Belts Orange plug
OENG46		
SEN640		Effort Sensor without belt
		WILLIOUT DEIT
SEN658		MUX Interfaced Measurement Adapter
		for the connection of 2 Inductive Effort Belts SEN660-SEN663
	_	



7.000		
7 Sensors		
SEP625		1-channel ECG Electrode
		for SOMNOscreen [™] plus
	191	Grey/black plug for EXG input, Cable length 60 cm
		Requires for SOMNOscreen [™] plus RC (easy) a Combi firmware update!
SEP628	0	3-channel ECG Electrode
		for SOMNOscreen TM plus
		Grey/black plug, for EXG input, Cable length 60 cm
SEP629		Requires for SOMNOscreen [™] plus RC (easy) a Combi firmware update! 3-channel ECG Electrode
SEP629	•	for SOMNOscreen plus RC easy and RC devices
	019	Grey/black plug, for EXG input, Cable length 60 cm
	• •	Requires SOMNOscren plus to be sent in for a Combi firmware update!
SEN212A		NONIN Flexible Finger Sensor 8000J for Pulse Oximeter
	2000	Adult
SEN217A		Incl. right angle adaptor + 25 FlexiWraps NONIN Flexible Finger Sensor 8008J for Pulse Oximeter
SEN217A	Q a	Pediatric
		Incl. right angle adaptor + 25 FlexiWraps
SEN218A	~ -	NONIN Flexible Finger Sensor 8001J for Pulse Oximeter
	Carried I	Neonatal
		Incl. right angle adaptor + 25 FlexiWraps
SEN215		Soft Silicone Finger Sensor for Pulse Oximeter
		Size: Large, Adult
SEN209		Soft Silicone Finger Sensor for Pulse Oximeter
		Size: Medium
8 Sensors	- Pediatric	
SEN028		Extension cable for Head box
		SOMNOscreen TM plus (for pediatric application)
OFNIGO 4		Cable length 40 cm
SEN224		Soft Silicone Finger Sensor for Pulse Oximeter Size: Small, Pediatric
		· · · · · ·
SEN599T	.0+	Nasal/Oral Flow Sensor Thermistor Pediatric
SEN599Z		Retaining clip
		for simultaneous application of Thermistor and Nasal cannula
SEN604	- 0	Pediatric Microphone for Snoring detection
OLIVOU4		Cable length 120 cm
		Pediatric
SEN607A		SLP External Body Position Sensor
	\sim i	Pediatric, vertical solution
SEN613		Active ECG Sensor
		Pediatric, Green plug
		Requires SEN020 Pediatric electrodes!
SEN614		Active PLM/EMG Sensor
		Pediatric, Blue plug, cable length 60 cm
SEN636		Requires SEN020 Pediatric electrodes ! Pressure Effort Pads
		Disposable Effort Sensor
		10 pcs./Pack
		Requires SEN632 Pressure sensor!
SEN658L		Interfaced Measurement Adapter
		For The Connection of 2 Inductive Plethysmography Bands (for black bolts SENISS SENISS)
	\mathbf{y}	(for black belts SEN660-SEN663) long cable 1 m
		long value i iii
SEN070		Set of Extension cables for sensors
		50 cm each,
		for the following SOMNOscreen inputs:
		AUX, CPAP, PLM, ACT, EFFORT, SOUND, FLOW For attended studies only! As there is a risk of strangulation for children and of disconnection for the use on adults.
L		p of attended studies only: As there is a risk of strangulation for children and of disconfidention the use on adults.



8 Sensors	- Pediatric	
SEN800	2x 2x 1	Sensor Kit for SOMNOscreen [™] plus PSG+ Pediatric Items included: 1 x SEN658L MUX-Adapter (special cable length) 1 x SEN660 2 Inductive effort belts Abdomen/Thorax size S 1 x SEN607 Body Position Sensor 1 x SEN599T Thermistor 1 x SEN599T Thermistor 1 x SEN599Z Retaining clip 2 x SEN614 Aktive PLM/EMG Sensor + 1 Pack SEN020 1 x SEN238 Thorax belt size S 1 x SEN161 Pack Nasal cannulas (10 pcs.) 1 x SEN217A NONIN Flexible Finger Sensor 8008J for Pulse Oximeter incl. right-angle adapter + 25 FlexiWraps
SEN801	200	Sensor Kit for SOMNOscreen [™] plus PSG+ Neonatal Items included: 2 x SEN641 pneumatic Effort Belt 1 x SEN637 Pressure Sensor for Pneumatic Effort Belts 1 x SEN638 Pressure Sensor for Pneumatic Effort Belts 1 x SEN607 External Body Position Sensor 1 x SEN028 Extension for Digital AC Head Box 2 x SEN028 Extension for Digital AC Head Box 2 x SEN020 Disposable Electrodes 1 x SEN020 Disposable Electrodes 1 x SEN117 Nasal Cannula (10 pcs) 1 x SEN218 Footclip Flex SpO2 for Neonates 1 x SEN213 right-angle adaptor for Footclip Flex SpO2 1 x SEN225 Extension for Pulse Oximeter - 80 cm 1 x SEN632 High-sensitive preasure sensor 1 x SEN636 Pressure Effort Pads
9 Options		
SEN029		Calibration box for PSG Head box Generates a square waveform of 50 μV, 0,1 Hz Including 25 lead adapter, AASM standard
SSC082	O	Analogue Optocoupler Connecting external devices to the SOMNOscreen plus Requires technical data sheet of the external device! (An additional charge for the adaption depending on the needed equipment will be added)
SSC083		External ADC Board - 8 Channels +/- 2048 mV, 16 Bit, Stereo Jack incl. User manual and Power Supply (If an adaption of the cabels is needed, an additional charge of 35,- € per channel will be added)
SSC085		External ADC Board – 8 Channels +/- 2048 mV, 16 Bit LAN Connector
SSC085A		External ADC Board – 16 Channels +/- 2048 mV, 16 Bit LAN Connector
SEN513	-	Miniaturized Pneumotachograph Set incl. a tube for the connection of CPAP/BiPAP devices, analyses the quantitative breathing and leakage flow, incl. SEN632 ***requires DOMINO version2.7.0***
SEN515		EDA Sensor for determination of the electrodermal activity Requires SEN020 Electrodes!
SEN550	0	Rectal Temperature Probe for measuring rectal temperature, 6.3 mm jack and reinforced probe tip, autoclavable, Diameter: 4 mm, length: 2.75 m, incl. Probe covers (10 pcs.), Requires SEN551 Adapter!
SEN551		Temperature Adapter (rectal) for connection of the rectal temperature probe
SEN557A	0	Skin Surface Temperature Probe for Adults for the determination of the skin surface temperature, 6.3 mm jack, Requires SEN558 Adapter and SEN559 Adhesive pads!
SEN558		Temperature Adapter (skin) for connection of the skin surface temperature probe
SEP617	Por	Simplified Sleep Stage Evaluation (ambulatory) 1 EEG / 2 EOG - Combi sensor, for SOMNOscreen™ plus, incl. Sleep Analysis Software, Grey/Black plug, Cable length 120 cm, 1 Pack Disposable electrodes (30 pcs.)



0.0 1			
9 Options			
SEN634S		Oesophageal pressure measurement for SOMNOscreen plus	
		Items included:	
		- Pressure sensor 100 mbar - Balloon catheter	
		- Danicon Catheler	
		- Syringe	
EXT003-N		PH amplifier	
		for SOMNOscreen TM plus incl. INGOLD Glass Probe,	
		and Calibration Solution PH4 + PH7,	
		incl. Analysis Software	
EXT008	5	Photic Stimulator	
		for advanced neurological diagnostics with SOMNOscreen plus EEG 32	
	-	incl. triggering via DOMINO software	
		incl. connecting cable to PC	
		incl. tripod	
EXT017	0 (G	Sidestream Capnometer LoFLo	
	(1)	with 50ml/min sample flow rate, based on CAPNOSTAT® 5 technology	
	Co#to	incl. mounting bracket, adapter for the connection to the SOMNOscreen plus and Starter Kit for 10 measurements	
10 Accesso	ories		
SEN049		EASYPLUG Connecting Adapter for EEG caps to EEG 10-20 Head box	
3EN049	1111111111	EASTPLOG Connecting Adapter for EEG caps to EEG 10-20 nead box	
SEN920		Silicone Tube	
		for CPAP connection with Y connector and LuerLock	
SEN921		Silicone Tube	
02.102.		for CPAP connection with LuerLock	
	A .		
SSC002		Compact Flashcard Reader	
000045		USB connection, incl. USB cable	
SSC015		Flash card 1 GB	
SSC016	A In	Flash card 2 GB	
330010		i iasii caid 2 GB	
SSC030		Bag	
		for SOMNOscreen and Sensors	
SSC052		Battery Charger for Li-Ion batteries	
SSC051	And the second	Li-lon battery 2,550 mAh	
	M.		
SSC072		Protective Bag for SOMNOscreen™ plus	
SSC074		Protective Clamp for Sensor Plugs	
	(IIII		
SSC079		Lockable Protective Bag for SOMNOscreen™ plus	
SEN924	-	CPAP Adapter	
	•		
11 EEG Ele	ctrodes		
		GRASS Gold Cup Electrodes	
	- masses	10 mm with hole 2 mm, assorted colours, 10 pcs./Box	
F-E5GH-30		Cable length 76 cm	
F-E5GH-48		Cable length 122 cm	
F-E5GH-60		Cable length 150 cm	
F-E5GH-72 F-E5GH-96		Cable length 180 cm	
F-E3GH-96		Cable length 244 cm GRASS Silver Cup Electrodes	
	- muta	10 mm with hole 2 mm, assorted colours, 10 pcs./Box	
F-E5SH-48		Cable length 122 cm	
SEN018	478	Connecting cables for disposable electrodes	
		Snap fastener electrode cables (Ø 1.5 mm Safety pins),	
SENIAGO		Cable length 80 cm, assorted colours, 10 pcs./Pack	
SEN400		EEG cap 1 Electrode cap (size selectable), 1 Electrode adapter board, 1 Needle kit, 1 Head measuring tape, 1 Set of disposable sponge discs, 1 Thorax	
		belt, 1 Pair of ear electrodes, 1 Quick insert electrode, 1 Cleaning emulsion, 1 Electrode gel 480 g, 1 User manual, 1 DVD, 1 Case	
		, , , , , , , , , , , , , , , , , , , ,	

PLEASE NOTE: Further lengths/sizes are available on request!



12 Belts				
SEN235				
SEN235		Belt Set - Size S Thorax and Abdomen belt with quick release closure, Shoulder belt, Width 38 mm, Circumference: ca. 65 - 88 cm		
SEN229		Belt Set - Size M Thorax and Abdomen belt with quick release closure, Shoulder belt, Width 38 mm, Circumference: ca. 74 - 109 cm		
SEN234		Belt Set - Size L Thorax and Abdomen belt with quick release closure, Shoulder belt, Width 38 mm,		
SEN236		Circumference: ca. 86 - 134 cm Belt Set - Size XXL Thorax and Abdomen belt with quick release closure, Shoulder belt, Width 38 mm, Circumference: ca. 99 - 159 cm		
SEN238	3 5 W	Abdomen/Thorax Belt - Size S Quick release and Velcro closure, Elastic, Width 38 mm, Length 75 cm, Circumference: ca. 65 - 88 cm		
SEN239		Abdomen/Thorax Belt - Size M Quick release and Velcro closure, Elastic, Width 38 mm, Length 95 cm, Circumference: ca. 74 - 109 cm		
SEN240		Abdomen/Thorax Belt - Size L Quick release and Velcro closure, Elastic, Width 38 mm, Length 120 cm, Circumference: ca. 86 - 134 cm		
SEN228		Abdomen/Thorax Belt - Size XXL Quick release and Velcro closure, Elastic, Width 38 mm, Length 145 cm, Circumference: ca. 99 - 159 cm		
SEN243		Shoulder belt - Size L Velcro closure, Elastic, Width 38 mm, Length 100 cm		
SEN641A	0	Pneumatic Effort Belt - Size XS Neonatal (2 pcs./Pack) Requires Pressure Sensors SEN637 green + SEN638 orange!		
SEN642A	Q	Pneumatic Effort Belt - Size S Pediatric (2 pcs./Pack) Requires Pressure Sensors SEN637 green + SEN638 orange!		
SEN643A	Q	Pneumatic Effort Belt - Size M Pediatric and Adult (2 pcs./Pack) Requires Pressure Sensors SEN637 green + SEN638 orange!		
SEN644A	0	Pneumatic Effort Belt - Size L Adult (2 pcs./Pack)		
SEN645A	0	Requires Pressure Sensors SEN637 green + SEN638 orange! Pneumatic Effort Belt - Size XXL Adult (2 pcs./Pack) Requires Pressure Sensors SEN637 green + SEN638 orange!		
SEN660	15.3	Inductive Effort Belts - Size S Pediatric (2 pcs./Pack) Circumference: ca. 40-70 Requires SEN658 MUX Adapter!		
SEN661	3 3	Inductive Effort Belts - Size M Pediatric and Adult (2 pcs./Pack) Circumference: ca. 60 - 90 cm Requires SEN658 MUX Adapter!		
SEN662	18.3	Inductive Effort Belts - Size L Adult (2 pcs./Pack) Circumference: ca. 80 - 120 cm Requires SEN658 MUX Adapter!		
SEN663	183	Inductive Effort Belts - Size XXL Adult (2 pcs./Pack) Circumference: ca. 100 - 150 cm Requires SEN658 MUX Adapter!		

12



13 Consumables			
SEN115	ATT.	Nasal Cannula HC (High Comfort)	
SENTIS		Adult	
		Nasal Pressure transducer with male LuerLock connector	
0511440		Tube length 60 cm, 10 pcs./Pack	
SEN116		Nasal Cannula Pediatric	
		Nasal Pressure transducer with LuerLock connector male, Tube length 210 cm,	
		25 pcs./Pack	
SEN117		Nasal Cannula	
		Neonatal	
		Nasal Pressure transducer with LuerLock connector male, Tube length 210 cm,	
		10 pcs./Pack	
SEN118		Nasal/Oral Cannula for Pressure Sensor Adult	
		Nasal and Oral Pressure transducer with LuerLock connector male, Tube length 60 cm, 25 pcs./Pack	
		The state of the French of the French of the State of the	
SEN121		Nasal Cannula (divided)	
		adult	
	The state of the s	for Airflow Pressure/Snore monitoring and simultaneous gas sampling,	
		tube length 210 cm, 25 pcs./pack	
SEN903		Nasal Cannula (CO2)	
		Adult for Capnometry, Tube length 210 cm, 10 pcs./Pack	
		nor caphomony, Tabe length 2 to only to positi aux	
EXT017/M		LoFlo CO2 Nasal sampling cannula with O2 delivery	
	6.)	Adult	
		250 cm 10 pieces / box	
EXT017/P		Starter Kit for LoFlo consisting of:	
	() I		
	/	- CO2/O2 Nasal Sampling Cannula (250 cm, 10 pieces)	
EXT017/Q	<u> </u>	- Male Luer Lock to O2 port (10 pieces) Male Luer Lock to O2 port	
EXTUT/IQ	C	100 pieces/pack	
SEN216	etr.	NONIN FlexiWrap for Finger Sensor 8000J	
	Table	Adult	
SEN221		25 pcs./Pack NONIN FlexiWrap for Finger Clip 8008J	
SLIVEZI	-	Pediatric	
		25 pcs./Pack	
SEN223	•	NONIN FlexiWrap for Sensor 8001J	
	Table D	Neonatal 25 pcs./Pack	
SEN213		Right-angle Adaptor	
		for Pulse Oximeter Sensors	
SEN002		Single use electrode N (recommended for ECG)	
		Single use electrode with decentral snap fastener,	
		25 pcs./Pack	
SEN004	800	Adhesive Electrode (recommended for ECG) Skin-friendly Santara-microporous fleece textile,	
		30 pcs./Pack	
SEN005		Disposable Electrode with connecting cable	
SE11003		Wet gel and Safety lead connector (1.5 mm),	
	-	Cable length 100 cm, colour coded,	
OFNIGACO		12 pcs./Pack	
SEN010C		Disposable Electrodes (recommended for EOG, EEG) Silver-Silver chloride, self adhesive,	
		Snap fastener, Diameter 2.5 cm,	
		30 pcs./Pack	
SEN011		Disposable Electrodes	
		Silver-Silver chloride, self adhesive, Snap fastener, Diameter 3 cm,	
		30 pcs./Pack	
SEN012	HORITAAN	Disposable Electrodes (recommended for PLM)	
	Stateme:	Silver-Silver chloride, self adhesive,	
		Snap fastener, 2.8 x 4.5 cm, 30 pcs./Pack	
<u> </u>		loo boost durk	



13 Consumables			
SEN020	©	Disposable Electrode with connecting cable Clear gel and Safety plug (colour coded) 1.5 mm, Cable length 60 cm, Diameter 2.2 cm, 15 pcs./Pack	
SEN020A		Disposable Electrode with connecting cable Clear gel and Safety plug (colour coded) 1.5 mm, Cable length 120 cm, Diameter 2.2 cm, 15 pcs./Pack	
SEN020B		Disposable Electrode with connecting cable Clear gel and Safety plug (colour coded) 1.5 mm, Cable length 160 cm, Diameter 2.2 cm, 15 pcs./Pack	
SEN030	Nuprep	Nuprep Abrasive skin prepping gel, 114 g per tube, 3 pcs./Pack	
SEN032	Ten20	Ten20 EEG conductive paste, 112 g per tube, 3 pcs./Pack	
SEN034	The state of the s	GRASS EC2 Adhesive electrode cream, water-based, 100 g per tube, 10 pcs./Pack	
SEN545	K	Disposable protection covers for rectal temperature probe SEN550, 100 pcs./Pack	
SEN559	5	Adhesive Pads heart-shaped for skin surface temperature probe SEN557, 100 pcs./Pack	
SEN634A	Q	Oesophagus Balloon Catheter Compliance catheter, 10 pcs./Pack	
SEN634B		T Connector for Oesophagus Balloon Catheter	
SEN634C	P-(Arabana)	Syringe for Oesophagus Balloon Catheter	